



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 9 N

R 2 W

Township No 8. N R No 27th 2nd Mer. Ind.

76.27 Into cut the N Bound at 358 lms East of the post on of
 Sec 31. 430 T 9 N R 27th and set a post for the corner of Sec
 586. From which
 Hick 3 in diam. bears S 87° 14' E 140 yds; m.
 Birch 3 " " " N 57° 11' 8" " "
 Same as the same. as last met.

Surveyed by
 Arthur Henric
 Dep't Sur.

Comp?

I certify, that the foregoing Transcript of the field
 notes of Township No 8 North of Range No 2 West
 of the 2nd Principal Meridian in Indiana has
 been compared with the Original notes with the Office
 and found to be correct.
 Surveyor General's Office,
 Cincinnati, Nov 17 1841

Surveyor General.

Township No 9 North of Range No 2 West 2nd Mer Ind

South Boundary.

B 136

April 6. 1811. From the corner of T. 8 & 9 N R 27th.
 West On the South Boundary of sec. 36. T 9 N R 27th.
 4000 Set a new post from which
 Hick 13 in diam. bears N 37° E 34 lms. dist; m.
 Do. 14 " " " S 53° 11' 22 " "
 8000 Set a post for the corner of sec. 35 & 36. from which
 Dogwood 5 in diam. bears S 76° 11' 28" E 140 yds. dist; m.
 Do. 4 " " " N 46° E. 16 " "
 Same as last similar Oak, Hick

West On the South Boundary of sec. 35 T 9 N R 27th.
 35.00 Set a post 10 lms. m. from S.
 4000 Set a new post from which
 Birch 10 in diam. bears S 46° E. 140 yds. dist; m.
 Dogwood 5 " " " N 87° 11' 16 " "
 8000 Set a post for the corner of sec. 34 & 35. from which
 Oak 13 in diam. bears N 30° 11' 7" E 140 yds. dist; m.
 Do. 18 " " " S 45° 11' 13 " "
 Same as the same.

West On the South Boundary of sec. 34 T 9 N R 27th.
 4000 Set a new post from which
 Sugar 12 in diam. bears S 35° E 13 lms. dist; m.
 Do. 8 " " " N 57° 11' 22 " "
 8000 Set a post for the corner of sec. 33 & 34 from which
 Gum 5 in diam. bears S 40° 11' 10" E 140 yds. dist; m.
 Black 36 " " " S 55° E 15 " "
 Same as last similar Oak, Poplar & Sugar.

West On the South Boundary of sec. 33 T 9 N R 27th.
 4000 Set a new post from which
 Sugar 10 in diam. bears N 22° 11' 13" E 140 yds. dist; m.

T. No. 9. N. R. No. 277 2nd Mer. Ind.

North On the East Boundary of sec. 12 T. 9. N. R. 277.

32.50 To an Ash. 30 in dia. in the river.

40.00 Set a post for the corner from which

Sugar. 12 in dia. beam. N 47° 11' 9" W 36° 00' 00" N; 12

Butter milk. 18 " " " S 57° 00' 00" E 31 " "

43.50 To a Post 10 1/2 miles wide, corner S. E.

53.50 To a Poplar. 20 in dia. in the river.

80.00 Set a post for the corner of sec. 17 1/2 from which

Beck. 13 in dia. beam. N 29° 00' 00" E 31 " 00' 00" N; 12

Sugar. 12 " " " N 60° 00' 00" W 40 " " "

Sands and timber some at last mile.

North On the East Boundary of sec. 1. T. 9. N. R. 277.

37.75 To a Line S 53° 00' 00" W.

40.00 Set a post for the corner from which

Sugar. 17 in dia. beam. S 86° 00' 00" E 36 " 00' 00" N; 12

Do. 14 " " " N 19° 00' 00" W 31 " " "

54.00 To a Sugar. 16 in dia. in the river.

80.00 Set a post for the corner of T. 9. N. R. 277 from

which, Beck. 5 in dia. beam. N 16° 00' 00" W 13 " 00' 00" N; 12

Do. 12 " " " N 46° 00' 00" E 28 " " "

Good land timber Beck, Sugar, Oak, &c.

North Boundary

April 9 1811. East on a Random line between
T. 9. N. R. 277. 5 miles 73 ch. Full 100 lbs
North of the 1st corner. Corrected and marked
the line. West.

West On the South Boundary of sec. 36. T. 10. N. R. 277.

7.50 To a Beck. 15 in dia. beam, corner. N. E.

40.00 Set a post for the corner from which

Ash. 20 in dia. beam. S 77° 00' 00" E 20 " 00' 00" N; 12

Beck 14 " " " N 10° 00' 00" E 4 " " "

T. No. 9. N. R. No. 277 2nd Mer. Ind.

80.00 Set a post for the corner 35 1/2 from which

Beck 30 in dia. beam. N 55° 00' 00" W 14 " 00' 00" N; 12

Nicks 5 " " " S 85° 00' 00" E 8 " " "

Good land. Timber Beck, Oak Walnut.

West On the South Boundary of sec. 35. T. 10. N. R. 277.

40.00 Set a post for the corner from which

Sugar. 16 in dia. beam. N 60° 00' 00" E 2 " 00' 00" N; 12

Sugar. 6 " " " S 20° 00' 00" W 36 " " "

80.00 Set a post for the corner 34 1/2 from which

Sugar. 12 in dia. beam. S 40° 00' 00" E 36 " 00' 00" N; 12

Beck. 16 " " " N 48° 00' 00" W 24 " " "

Good land and rock. Good land. Timber Beck,

Oak, &c.

West On the South Boundary of sec. 34. T. 10. N. R. 277.

40.00 Set a post for the corner from which

Beck 11 in dia. beam. N 50° 00' 00" E 16 " 00' 00" N; 12

Do. 12 " " " S 21° 00' 00" E 18 " " "

50.00 To a rock. 75 lbs mass, corner N. W.

80.00 Set a post for the corner 33 1/2 from which

Sugar. 14 in dia. beam. N 59° 00' 00" W 10 " 00' 00" N; 12

Do. 5 " " " S 41° 00' 00" W 14 " " "

Sands and rock; Timber Beck, Sugar Walnut,

West On the South Boundary of sec. 33. T. 10. N. R. 277.

40.00 Set a post for the corner from which

Nicks 18 in dia. beam. N 18° 00' 00" E 14 " 00' 00" N; 12

Beck. 6 " " " N 27° 00' 00" E 21 " " "

80.00 Set a post for the corner 32 1/2 from which

Beck 12 in dia. beam. N 46° 00' 00" W 9 " 00' 00" N; 12

Beck 12 " " " S 14° 00' 00" W 18 " " "

Good land. Timber Oak & Beck

T. No. 9. N. R. N. 27. 2nd M. Ind.

North On the East Boundary of sec. 12 T. 9. N. R. 27.
 32.50 To an Ash. 30 in dia. in the m.
 40.00 Set a post for the corner from which
 Sugar. 12 in dia. beam. N 47 W. 9 W. 0.50 ash; 10,
 Bottom m. 18 " " S 57 E. 31 " "
 43.50 To a Post 10 1/2 m. m. m. corner S. E.
 53.50 To a Poplar. 20 in dia. in the m.
 80.00 Set a post for the corner of sec. 17 1/2 from which
 Bush. 13 in dia. beam. N 29 E. 31 W. 0.50 ash; 10,
 Sugar. 12 " " N 60 W. 40 " "
 Land and timber some at least m.

North On the East Boundary of sec. 1. T. 9. N. R. 27.
 37.75 To a Line S 53 W.
 40.00 Set a post for the corner from which
 Sugar. 17 in dia. beam. S 8 E. 36 W. 0.50 ash; 10,
 Do. 14 " " N 19 W. 31 " "
 54.00 To a Sugar. 16 in dia. in the m.
 80.00 Set a post for the corner of T. 9 N. R. 27 from
 which, Bush. 5 in dia. beam. S 16 W. 13 W. 0.50 ash; 10,
 Do. 12 " " N 4 E. 28 " "
 Good land timber Bush, Sugar, Oak, &c.

North Boundary

B141

April 9 1811. East on a random line between
 T. 9 N. R. 27. 5 miles 73 ch. Full 1000
 North of the T. corner. corrected and marks
 the line. West.

West On the South Boundary of Sec. 36. T. 10. N. R. 27.
 7.50 To a Post 15 m. m. corner. N. E.
 40.00 Set a post for the corner from which
 Ash. 20 in dia. beam. S 77 E. 2 W. 0.50 ash; 10,
 Bush 14 " " N 10 E. 4 " "

T. No. 9. N. R. N. 27. 2nd M. Ind.

80.00 Set a post for the corner 35 1/2 from which
 Black 30 in dia. beam. N 57 W. 14 W. 0.50 ash; 10,
 Hickory 5 " " S 85 E. 8 " "
 Good land. Timber Bush, Oak Walnut.

West On the South Boundary of sec. 35 T. 10 N. R. 27.
 40.00 Set a post for the corner from which
 Sugar. 16 in dia. beam. N 60 E. 2 W. 0.50 ash; 10,
 Sugar. 6 " " S 20 W. 36 " "
 80.00 Set a post for the corner of sec. 34 1/2 from which
 Sugar. 12 in dia. beam. S 70 E. 30 W. 0.50 ash; 10,
 Bush. 16 " " N 48 W. 24 " "
 Good land and m. 1/2 od. land. Timber Bush,
 Oak, &c.

West On the South Boundary of sec. 34. T. 10 N. R. 27.
 40.00 Set a post for the corner from which
 Bush 11 in dia. beam. N 50 E. 16 W. 0.50 ash; 10,
 Do. 12 " " S 21 E. 18 " "
 50.00 To a Post. 75 W. m. corner N. W.
 80.00 Set a post for the corner 33 1/2 from which
 Sugar. 14 in dia. beam. N 59 W. 10 W. 0.50 ash; 10,
 Do. 5 " " S 41 W. 14 " "
 Good land & Bush; Timber Bush, Sugar Walnut,

West On the South Boundary of sec. 33. T. 10 N. R. 27.
 40.00 Set a post for the corner from which
 Hickory 18 in dia. beam. S 18 E. 14 W. 0.50 ash; 10,
 Bush. 16 " " N 27 E. 21 " "
 80.00 Set a post for the corner of sec. 32 1/2 from which
 Bush 12 in dia. beam. N 46 W. 9 W. 0.50 ash; 10,
 Bush 12 " " S 14 W. 18 " "
 Good land Timber Oak & Bush,

T. N. G. N. R. No. 277th Min. Ind.

	Aug. 16 in dist. line S 5 E. 32 m. dist. 20, No. 9 " " S 86 N. 15 " " Sands rolling and good for farming; Timber Oak Poplar, Walnut, Sugar, Ash, Birch &c.
East 4100 81.11	On a random line between Sec. 13 & 24 T. 9. N. R. 27 th Set a trap for deer post. Intersect the East Boundary 17 m. South of the post. Cn of sec. 13 & 24 Sands meddling good for farming; Timber Oak, Hickory, Birch & Lutescentes &c.
West 410.55 81.11	On the true line between Sec. 13 & 24 T. 9. N. R. 27 th . Set the trap for deer post at the on dist. on the true line from Whitely, Sugar 9 in dist. line. — S 5 E. 4 p. the dist. 20, No. 5 " " S 5 E. 34 " " To the post cn of sec. 13, 14, 23 & 24
North 4000 80.00	Between Sec. 13 & 14 T. 9. N. R. 27 th Set a trap for deer post from which, Beck 18 in dist. line S 17 N. 16 m. dist. 20, Sugar 11 " " S 10 E. 17 " " Set a post for the cn of sec. 11, 12, 13 & 14 from which, Elm. 7 in dist. line S 6 E. 19 m. dist. 20, Sugar 7 " " S 80 E. 12 " " Sands good for farming; Timber Oak, Ash & Birch, Poplar & Elm.
East 4000 81.36	September 7, 1815. On a random line between Sec. 12 & 13 T. 9. N. R. 27 th Set a trap for deer post. Intersect the East Boundary 8 m. South of the post. Cn of sec. 12 & 13. Sands meddling for farming.

T. N. G. N. R. No. 277th Min. Ind.

West 40.68 80.36	On the true line between Sec. 12 & 13 T. 9. N. R. 27 th . Set the trap for deer post at the on dist. on the true line from which, Beck 10 in dist. line S 5 N. 5 m. dist. and a No. 2 " " S 54 E. 2 " " To the post cn of sec. 11, 12, 13 & 14
North 4100 80.00	Between Sec. 11 & 12 T. 9. N. R. 27 th . Set a trap for deer post from which, Beck 11 in dist. line S 7 N. 9 m. dist. 20, Sugar 6 " " S 6 E. 15 " " Set a post for the cn of sec. 1, 2, 11 & 12 from which, Beck 16 in dist. line S 6 E. 13 m. dist. 20, Hickory 18 " " S 77 N. 23 " " Sands rolling and meddling for farming; Timber Oak, Sugar Oak, & Hickory &c.
East 40.00 81.32	On a random line between Sec. 13 & 14 T. 9. N. R. 27 th . To a small spring branch corner E. Set a trap for deer post. Intersect the East Boundary 22 m. North of the post. Cn of sec. 1 & 12. Sands thin Timber Birch Oak & Poplar &c.
West 40.66 81.32	On the true line between Sec. 1 & 12 T. 9. N. R. 27 th . Set the trap for deer post at the on dist. on the true line from which, Beck 10 in dist. line S 42 N. 14 m. dist. and a No. 5 " " S 35 E. 22 " " To the cn of sec. 1, 2, 11 & 12.
North 5.00 4000	Between Sec. 1 & 2 T. 9. N. R. 27 th . To a Rock 14 p. m. dist. N. W. Set a trap for deer post from which, Beck 16 in dist. line S 23 N. 5 m. dist. 20.

T. N. G. A. R. No. 277 2nd Mm. Ind.

Beck 10 in dia. bears NW E 21 mts. north
 64.00 To a Brook 6 mts. north, Leona &c.
 79.15 Intersect the NW line 178 mts. West of the first ca.
 of sec. 35 & 36. T. N. G. A. R. 277 and at a post from
 which 100 yds from which
 Immense 2nd in dia. bears S 85 E. 3 mts. dist. to
 the 3rd " " " " N 69 W 8 " "
 Land made by for farming; Timber Oak, Beech &
 Hickory &c.

North Return Sec. 34 & 35 T. N. G. A. R. 277. Sept. 15 1815.
 40.00 Set a post from which
 Beck 10 in dia. bears N 40 E 10 mts. dist. to
 100 12 " " " " S 15 E 18 " "
 80.00 Set a post for the corner of sec. 26 27 34 & 35 from which
 Immense 4 in dia. bears S 50 E 7 mts. dist. to
 Sugar 12 " " " " S 69 W 9 " "
 Land rolling or low hills. Timber Poplar, Sugar, Beech,
 Walnut, Oak, Hickory; Excellent farming land very
 rich soil

East On a Random line between Sec. 26 & 35 T. N. G. A. R. 277
 40.00 Set a post for sec. post.
 79.78 Intersect the NW line 95 mts. North of the post ca. of
 Sec. 25 26 35 & 36. Land low hills. Timber Beech,
 Oak, Hickory, Poplar &c. Mudling good for farming

West Return Sec. 26 & 35 T. N. G. A. R. 277. Line line
 39.89 Set the post for sec. post at the ar. dist. on the line from
 which, Hickory 14 in dia. bears S 40 E 21 mts. dist. to
 9 Beck. 9 " " " " S 51 W 11 " "
 79.78 To the corner of sec. 26 27 34 & 35

T. N. G. A. R. No. 277 2nd Mm. Ind.

North Return Sec. 26 & 27 T. N. G. A. R. 277. Sept. 16 1815.
 40.00 Set a post from which
 5 in dia. bears S 57 W. 15 mts. dist. to
 Hickory 7 " " " " N 75 W 14 " "
 80.10 Set a post for the corner of sec. 22, 23, 26 & 27 from which
 7 Beck. 5 in dia. bears S 66 W 13 mts. dist. to
 Sugar 16 " " " " N 22 E 17 " "
 Land good for farming; Timber Oak, Ash, Poplar,
 Walnut &c.

East On a Random line between Sec. 23 & 26 T. N. G. A. R. 277
 40.00 Set a post for sec. post.
 80.20 Intersect the NW line 20 mts. South of the post.
 ca. of sec. 23 24 25 & 26. Land the same as last mtd.

West On the line between Sec. 23 & 26 T. N. G. A. R. 277
 40.10 Set the post for sec. post at the ar. dist. on the line from
 which, Sugar 8 in dia. bears N 30 W. 9 mts. dist.
 ca. of sec. 23 24 25 & 26. West. 12 " "
 80.20 To the post ca. of sec. 22 23 26 & 27

South Return Sec. 22 & 23 On a Random line T. N. G. A. R. 277
 40.00 Set a post for sec. post.
 80.39 Intersect the NW line 18 mts. East of the post ca. of
 Sec. 22, 23, 26 & 27. Land rolling & good for farming

North On the line between Sec. 22 & 23 T. N. G. A. R. 277
 40.197 Set the post for sec. post at the ar. dist. on the line from
 which, Beck. 7 in dia. bears N 37 W. 17 mts. dist.
 ca. of sec. 22 23 26 & 27. N 70 E 31 " "
 80.39 To the post ca. of sec. 24 25 26 & 27

West Return Sec. 24 & 25 T. N. G. A. R. 277

40.00 Set a 7/8 cup post from white,
cherry 2 1/2 in diam. bears S 26 N 10 links dist. La
Beck 24 " " " N 40 E 30 " "
62.00 To a Brook 50 links mid, corner N.W.
80.00 Set a post for the cor of sec. 14 15. 22 & 23 from which
a Beck 36 in diam. bears West 17 1/2 links dist. La
Sugar. 16 " " " N 7 E 14 " "
Land same as on the last mile

North Return Sec 14 & 15. T. 9. N. R. 277. Sept. 19 1815

40.00 Set a 7/8 cup post from white,
Walnut. 16 in diam. bears N 60 E 20 links dist. La
Sugar. 17 " " " S 44 N 32 " "

73.00 To a Brook 50 links mid, corner N.W.

80.00 Set a post for the cor of sec. 14 15. 10 & 11 from which
Sugar. 16 in diam. bears. N 89 N 33 links dist. La
W. Beck 6 " " " N 73 E 10 " "

Land good for farming Timber Walnut, Sugar
Oak, Oak, Buck, Buckeye &c.

East On a Random line between Sec. 11 & 14 T. 9. N. R. 277

40.00 Set a temp 7/8 cup post.

80.19 Intersect the N. 73 line 11 links North of the post cor
of sec. 11. 12. 13 & 14 Land the same as last mile.

West On the Line line between Sec. 11 & 14 T. 9. N. R. 277

20.97 Set the temp 7/8 cup post at the ar dist on the line
from which, W Walnut. 16 in diam. bears S 60 N 26 links dist
and a Beck 17 " " " N 44 E 31 " "

80.19 To the post cor of sec. 10 11. 14 & 15.

North Return Sec 10 & 11 T. 9. N. R. 277.

36.00 To a Brook 25 links mid, corner N.W.

40.00 Set a post for the cor of 1/4 Sec. from which a
Sugar 14 in diam. bears S 43 N 2 links dist. La
Do. 4 " " " S 26 E 7 1/2 " "

80.00 Set a post for the cor of Sec. 2. 3. 10 & 11. from which an
Oak 20 in diam. bears S 87 E 31 links dist. La
Do 13. " " " S 77 N 19 " "
Land same as on the last mile

East On a Random line between Sec. 2 & 11. T. 9. N. R. 277

40.00 Set or temp 7/8 cup post.

80.67 Intersect the N. 73 line 19 links South of the post cor
of sec. 1. 2. 11 & 12. Land the same.

West On the Line line between Sec. 2 & 11. T. 9. N. R. 277.

40.35 Set the temp 7/8 cup post at the ar dist on the line
from which, Sugar 17 in diam. bears S 89 N 14 links dist
and a Beck 11 " " " S 64 E 29 " "

80.67 To the post cor of sec. 2. 3. 10 & 11.

North Return Sec. 2 & 3. T. 9. N. R. 277.

39.00 To a Brook 50 links mid, corner N.W.

40.00 Set a 7/8 cup post from white

W. Beck. 3 in diam. bears. — S 67 N 18 links dist. La

Sugar 11 " " " N 58 N 25 " "

78.25 Intersect the N. 73 line 24 1/2 links West of the post cor
of sec. 3 & 13. T. 10 N. R. 277. and set a post for the
cor of 2 & 3 from which

Sugar 7 in diam. bears S 79 E 4 links dist. La

Buckeye 10 " " " S 80 N 16 " "

Land good for farming. Timber Oak, Sugar, Buckeye Walnut. &
good for farming.

South On a Random line between Sec. 33 & 34 T. 9. N. R. 277.

T. N. 9. N. R. N. 27. 2nd M. Ind.

40.00 Set a post for the cor. of 14 Sec. from which a
Sugar 12 in diam. bears S. 86. E. 4 links dist. La
Do 27. " " " S. 59. W. 23. " "
80.00 Set a post for the cor. of Sec. 9. 10. 15. & 16. from which
a Buck 12 in diam. bears N. 82. E. 11 links dist.
Sun Ark 30. " " " S. 41. W. 16. " "
Land good for farming. Timber same as last mile

East On a Random line between Sec. 10 & 15. T. 9. N. R. 2. M.
14.50 To a Buck 60 links wide: Course N. W.
40.00 Set a temp^l post for the cor. of 14 Sec.
42.50 To a Buck 30 links wide: Course N.
81.24 Intersect the N. & S. line 107 links South of the post
cor. of Sec. 10. 11. 14. & 15.
Land & Timber same as on the last mile.

West On the True line between Sec. 10 & 15. T. 9. N. R. 2. M.
40.62 Set the temp^l post for the cor. of 14 Sec. at the aver.
dist. on the true line from which a
Sugar 15 in diam. bears N. 27. E. 12 links dist. La
Do. 4. " " " S. 55. E. 12. " "
81.24 To the post cor. of Sec. 9. 10. 15. & 16.

North Between Sec. 9 & 10. T. 9. N. R. 2. M.
40.00 Set a post for the cor. of 14 Sec. from which a
Buck 14 in diam. bears N. 27. W. 33. No arch, to
Do. 5. " " " S. 56. E. 16. " "
60.00 To a spring corner E.
80.00 Set a post for the cor. of sec. 34 & 35. (from which)
a Sugar 20 in diam. stands for the cor. of sec. 34.
& 35. Land & timber Sugar, Walnut,
part pt. rate for farming.

T. N. 9. N. R. N. 27. 2nd M. Ind.

West On a Random line between Sec. 30 & 31. T. 9. N. R. 2. M.
40.00 Set a temp^l 1/2 cu post.
45.00 To a creek 60 links wide, corner N.
80.50 Intersect the N. & S. line 103 links South of the post cor.
of sec. 34 & 35. Land the same as last mile

East On the True line between Sec. 30 & 31. T. 9. N. R. 2. M.
40.25 Set a temp^l post just at the or east on the true line
from which, Sugar 20 in diam. bears S. 71. W. 9. No arch
Do. 14. " " " N. 76. E. 22. " "
80.50 To the post cor. of sec. 32. 10 & 11

Sept. 20. 1815.

North Between Sec. 30 & 31. T. 9. N. R. 2. M.
40.00 Set a 1/2 cu post from which
Buck 18 in diam. bears West 5 No arch, to
Do. 7. " " " S. 68. W. 26. " "
75.48 Intersect the N. & S. line 302 links West of the post
cor. of sec. 33 & 34. T. 10. N. R. 2. M. and set a post
" " " 304 from which
Log wood 5 in diam. bears S. 34. E. 6 No arch; to
Buck. 18 " " " N. 34. W. 23. " "
Land the same.

South On a Random line between Sec. 33 & 34. T. 9. N. R. 2. M.
30.00 To a Brook 30 links wide, corner N.
40.00 Set a temp^l 1/2 cu post.
80.64 Intersect the South Bound 75 links West of the
post cor. of sec. 33 & 34.
Land N. & S. or North & S. rate, farming land
" South & S. rate. Timber same.

North On the True line between Sec. 32 & 33. T. 9. N. R. 2. M.

T. N. 9. N. R. N. 27. 2nd Mm. Ind.

40.32 Set the trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. S14 N. 6 lbs. oak; 14
R. Oak. 14 " " " N 8 N 22 " "
80.64 To the post on of sw. 28. 29. 32. 33.

West Return Sat. 28. 29. 32. 33. T. N. 9. N. R. 27. v. 5. 25.
20.00 To a Brook. 20 miles m. d. corner D. M.
40.00 Set a trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. West 4 lbs. oak; 14
Do. 8 " " " N 64 E 18 " "
42.00 To a Brook 30 miles m. d. corner D. M.
80.00 Set a post for the cor of sw. 28. 29. 32. 33 from whit,
Bent 9 in dia. beam. N 63 E 12 lbs. oak; 14
Sugar 14 " " " N 42 N 14 " "
Land & rolling timber same. Good land for farm-
ing suit soil.

North Return Sat. 28. 29. 32. 33. T. N. 9. N. R. 27. v. 7. 07.
40.00 Set a trap for sugar at the armit on the line from
whit, Bent 14 in dia. beam. N 66 N 16 lbs. oak; 14
Bent. 13 " " " N 52 E 18 " "
80.00 Set a post for the cor of sw. 20. 21. 28. 29 from whit,
Sugar 8 in dia. beam. N 52 E 10 lbs. oak; 14
Bent 9 " " " N 37 N 11 " "
Land & good farming land; N. p. hilly timber
same as last mt.

East Ogakhanam line between Sat. 21. 22. 27. T. N. 9. N. R. 27. v. 7. 00.
40.00 Set a trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. N 47 N 8 lbs. oak; 14
Bent 14 " " " N 27 E 41 " "
80.00 Set a post for the cor of sw. 8. 9. 16. 17 from whit,
Land & good farming land; West p. hilly &
stony.

T. N. 9. N. R. N. 27. 2nd Mm. Ind.

West On the line between Sat. 21. 22. 27. T. N. 9. N. R. 27.
40.13 Set the trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. S 21 N 11 lbs. oak;
Do. 11 " " " N 32 N 25 " "
80.26 To a section cor for 20. 21. 28. 29.

South Ogakhanam line between Sat. 20. 21. T. N. 9. N. R. 27.
40.00 Set a trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. N 63 E 12 lbs. oak; 14
80.20 To the cor of sw. 20. 21. 28. 29. Land & rolling timber same.

North On the line between Sat. 20. 21. T. N. 9. N. R. 27.
40.00 Set the trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. N 58 E 7 lbs. oak;
Do. 9 " " " N 37 N 40 " "
80.20 To the post on of sw. 16. 17. 20. 21.

West Return Sat. 20. 21. T. N. 9. N. R. 27.
40.00 Set a trap for sugar at the armit on the line from
whit, Bent 10 in dia. beam. N 61 E 5 lbs. oak; 14
Sugar 9 " " " N 66 N 28 " "
80.00 Set a post for the cor of sw. 16. 17. 20. 21 from whit,
Sugar 9 in dia. beam. N 60 E 12 lbs. oak; 14
Bent 24 " " " N 16 N 38 " "
Land & hilly & timber same. A post made by good
for farming.

North Return Sat. 16. 17. T. N. 9. N. R. 27. v. 7. 00.
37.00 To a Brook 10 miles m. d. corner D. M.
40.00 Set a trap for sugar at the armit on the line from
whit, Bent 12 in dia. beam. N 47 N 8 lbs. oak; 14
Bent 14 " " " N 27 E 41 " "
80.00 Set a post for the cor of sw. 8. 9. 16. 17 from whit,
Land & good farming land; West p. hilly &
stony.

Elm. 10 in dia^r beam \$106.26 1/2 chub, 1/2,
 Sugar 8 " " " \$40 E. 10 " "
 Lumber rolling Timber same Kind not sold.

East On a Random line between Sec. 9 & 16 T. 9. N. R. 27.
 40.00 Set a temporary post
 79.92 Set out the N. 13 line, 16 rods North of the post on
 of sec. 9 & 16. Land 1/2 rate for farming
 Timber same.

West On the true line between Sec. 9 & 16 T. 9. N. R. 27.
 39.96 Set a temporary post at the ar. dist. on the true line from
 which, Sugar 9 in dia^r beam. \$87 E. 22 1/2 chub,
 and a Elm. 10 " " " \$4 E. 5 " "
 79.92 Set the corner of sec. 8. 9. 16 & 17.

North Return Sec 8 & 9 T. 9. N. R. 27.
 40.00 Set a post from which,
 Buck 9 in dia^r beam. \$51 E. 7 1/2 chub, 1/2,
 Sugar 12 " " " West 18 " "
 80.00 Set a post for the corner of sec. 4, 5, 8 & 9 from which,
 Buck 12 in dia^r beam. \$56 E. 23 1/2 chub, 1/2,
 40 Elm " " " \$17 N. 11 " "
 Land half principally Buck, timber some Su-
 gar, Oak, Poplar, R. & W. not, & a good for
 Grazing.

East On a Random line between Sec. 4 & 9 T. 9. N. R. 27.
 40.00 Set a temporary post.
 80.48 Set out the N. 13 line 79 rods North of the post
 corner of sec. 3, 4, 9 & 10. Land 1/2 rate for farming
 Timber same.

West On the true line between Sec. 4 & 9 T. 9. N. R. 27.
 40.24 Set the temporary post at the ar. dist. on the true line
 from which, N. 13 20 in dia^r beam. \$56 E. 34 1/2 chub,
 and a Elm. 12 " " " \$87 E. 40 " "
 80.48 Set the post on of sec. 4, 5, 8 & 9.

North Return Sec 4 & 9 T. 9. N. R. 27.
 40.00 Set a post from which,
 Buck 7 in dia^r beam. \$40 E. 23 1/2 chub, 1/2,
 40 Elm " " " \$25 N. 8 " "
 73.89 Set out the N. 13 line as 448 rods, West of the post
 corner of sec. 3 & 4 T. 10. N. R. 27 and set a
 post for the corner of sec. 4 & 5 from which,
 N. 13 12 in dia^r beam. \$77 E. 17 1/2 chub, 1/2,
 Buck 24 " " " \$23 N. 20 " "
 Land 1/2 rate for farming; Timber Sugar &c.

South On a Random line between Sec. 31 & 32 T. 9. N. R. 27.
 40.00 Set a temporary post.
 67.00 To a corner 30 rods wide, corner N.
 81.00 Set out the N. 13 line or South boundary 54 rods
 West of the post corner of sec. 31 & 32.
 Land 1/2 rate for farming; Timber & Sugar.

North Return true line between Sec. 31 & 32 T. 9. N. R. 27.
 40.50 Set the temporary post at the ar. dist. on the true line from
 which, Buck 8 in dia^r beam. \$85 N. 19 1/2 chub, 1/2,
 N. 13 24 " " " \$15 N. 22 " "
 81.00 Set the post on of sec. 29, 30, 31 & 32.

West Return Sec 29 & 32 T. 9. N. R. 27.

T. N. G. A. R. N. 277 2nd Mer. Ind.

40.00 Set a trap for first from white, N. 5-40.
 Buck 6 in air: bear. N 11 E. 5 W. dist: 10,
 Walnut, 12 " " S 47 E. 9 " "
 80.00 Set a post for the end of sec. 29, 30, 31 & 32 from white,
 Sugar. 9 in air: bear. S 17 N. 7 W. dist: 10,
 Buck 15 " " S 82 E. 20 " "
 Sande hilly Timber Oak, Buck, Sugar, Poplar,
 Sande middling good for farming.

West Return Sec 30 & 31 T. 9. N. R. 277. 1-6-00

40.00 Set a post for first from white,
 Sugar. 12 in air: bear. N 24 E. 14 W. dist: 10,
 Co. 9 " " S 86 W. 14 " "

45.00 To a Brook 20 miles into Cornua N.

66.64 Enter out the West Boundary 157 miles South of
 the post on of sec. 25 & 36 T. 9. N. R. 377 and set a
 post " " 30 & 31 from white,
 Sugar. 6 in air: bear. N 6 E. 6 W. dist: 10,
 Co. 7 " " S 45 W. 7 " "
 Sande hilly Timber Buck, Sugar, Oak, Walnut.
 Sande middling good for farming.

South On a Ranam line between Sec. 29 & 30 T. 9. N. R. 277

40.00 Set a trap for first.

45.50 To a Brook 12 miles into Cornua N.

79.73 Enter out the E. 77 line 20 miles West of the post on
 of sec. 29, 30, 31 & 32 Sande similar & quite hilly

North On the same line between Sec. 29 & 30 T. 9. N. R. 277

39.97 Set the trap for first at the air: bear. on the line
 from white, Sugar. 4 in air: bear. S 87 N. 10 W. dist:
 on air Buck 18 " " N 24 E. 27 " "

79.73 Set the post on of sec. 19, 20, 29 & 30.

T. N. G. A. R. N. 277 2nd Mer. Ind.

West Return Sec 20 & 29 T. 9. N. R. 277.

40.00 Set a post for first from white,

Buck 9 in air: bear. N 43 E. 18 W. dist: 10,

Co. 9 " " S 11 E. 7 " "

80.00 Set a post for the end of sec. 19, 20, 29, & 30 from white,

Sugar. 6 in air: bear. North. 3 W. dist: 10,

Apok 12 " " S 2 E. 29 " "

Sande hilly Timber same. Sande middling for farming.

West Return Sec 19 & 30 T. 9. N. R. 277.

40.00 Set a post for first from white,

Buck 14 in air: bear. S 63 E. 12 W. dist: 10,

Symon 18 " " N 44 W. 7 " "

66.25 Enter out the West Boundary 222 miles South of the post
 on of sec. 24 & 33 T. 9. N. R. 377 and set a post for

" " " 19 & 30 from white,

Nick 7 in air: bear. S 63 E. 10 W. dist: 10,

Immer 3 " " N 44 E. 8 " "

Sande hilly Timber same. Sande middling for farming.

South On a Ranam line between Sec. 19 & 20 T. 9. N. R. 277

40.00 Set a trap for first.

80.28 Enter out the E. 77 line at the post on of sec. 19, 20, 29 & 30

Sande hilly Timber same. Sande middling for farming.

North On the same line between Sec. 19 & 20 T. 9. N. R. 277

40.14 Set the trap for first at the air: bear. on the line same

from white, Sugar. 11 in air: bear. N 20 W. 7 W. dist:

under Buck 9 " " S 45 E. 39 " "

80.28 Set the post on of sec. 17, 18, 19 & 20.

West Return Sec. 17 & 20 T. 9. N. R. 277.

I. N. 9. A. R. N. 2nd M. 2nd M.

80.60 Dogwood 6 in diam. bears N 76 W 20 lbs dist;
Set apart for the en of sec 5. 6. 7 & 8.

West Return Dec 5 18 I. N. 9. A. R. 2nd M.

40.00 Set apart for the en of sec. from which,
Beak 19 in diam. bears N 15 E 16 lbs dist; or,
No. 15 " " " S 17 N 42 " "

80.00 Set apart for the en of sec. 5. 6. 7 & 8 from which,
Beak 9 in diam. bears N 75 E 11 lbs dist; or,
No. 9 " " " S 27 N 15 " "

Land here and adjacent mt, are descent good for
farming.

West Return Dec 6 17 I. N. 9. A. R. 2nd M.

40.00 Set apart for the en of sec. from which,
Beak 14 in diam. bears N 29 W 1 lbs dist; or,
No. 14 " " " S 59 E 6 " "

67.36 Set apart the West Boundary 472 rods North of
the post on of sec. 1 & 12 I. N. 9. A. R. 3rd M. and set
apart for the en of sec. 6 17 from which,
Beak 11 in diam. bears S 62 E 4 lbs dist; or,
No. 12 " " " N 78 W 9 " "

Land good for farming. Timber similar

North Return Dec 5 16 I. N. 9. A. R. 2nd M.

40.00 Set apart for the en of sec. from which,
Beak 10 in diam. bears S 7 E 11 lbs dist; or,
No. 20 " " " N 24 W 15 " "

73.83 Set apart the N Boundary 479 rods West of the post
on of sec. 31 & 33 I. N. 10 A. R. 2nd M. and set apart for the
en of sec. 5 & 6 from which,
Beak 9 in diam. bears N 40 E 2 lbs dist; or,
No. 10 " " " S 54 W 22 " "

I. N. 9. A. R. N. 2nd M. 2nd M. Ind.

Land here and mt, Timber Principally Peach,
Surveyed by
William Harris.
Sept 10 1841

Complete?

I certify that the foregoing Transcript of the field
notes of I. N. 9. A. R. N. 2nd M. 2nd M. Ind. has been
compared with the Original notes in this Office &
found to be correct.
Surveyor General's Office
Cincinnati Nov. 18. 1841

Sw. General